ELSEVIER

Brain Research 818 (1999) 593–596

BRAIN RESEARCH

Author Index

Alburges, M.E. and Hanson, G.R.
Differential responses by neurotensin systems in extrapyramidal and limbic structures to ibogaine and cocaine (818) 96
Alderson, R.F., Pearsall, D., Lindsay, R.M. and Wong, V.
Characterization of receptors for ciliary neurotrophic factor on rat hippocampal astrocytes (818) 236
Alderson, R.F., see Yao, D.-L. (818) 140
Ali, S.F., see Imam, S.Z. (818) 575
Allen, J.W., see Yao, C.P. (818) 414
Alsop, D.C., see Yousem, D.M. (818) 480
Anisman, H., see Lacosta, S. (818) 291
Antolín, I., see Mayo, J.C. (818) 221
Antonaccio, M., see Yao, D.-L. (818) 140
Arendash, G.W., see Su, G.C. (818) 105
Aschner, M., see Yao, C.P. (818) 414
Atsumi, Y., Nozawa-Inoue, K., Maeda, T., Kurisu, K. and Wakisaka, S.
Immunohistochemical localization of S-100β in the dental pulp of the rat molar (818) 515

Badmajew, E., see Wegiel, J. (818) 41
Bajetto, A., Schettini, G. and Chimini, G.
Nuclear localization of ciliary neurotrophic factor in glial cells (818) 565
Barman, S.M., see Gebber, G.L. (818) 556
Beuckmann, C.T., see Franke, H. (818) 65
Bilker, W.B., see Yousem, D.M. (818) 480
Bird, J.L., see Pollack, A.E. (818) 543
Björkhem, I., see Kölsch, H. (818) 171
Bjugstad, K.B., see Su, G.C. (818) 105
Blunt, S.B., see Sullivan, A.M. (818) 176
Bock, R., see Kretz, O. (818) 488
Bode, A.M., see Samson, W.K. (818) 164
Bodosi, B., see Obál Jr., F. (818) 267
Bogdanovic, N., see Bonkale, W.L. (818) 383
Bonkale, W.L., Cowburn, R.F., Ohm, T.G., Bogdanovic, N. and Fastbom, J.
A quantitative autoradiographic study of [^{3}H]cAMP binding to cytosolic and particulate protein kinase A in post-mortem brain staged for Alzheimer's disease neurofibrillary changes and amyloid deposits (818) 383
Bouyer, J.-J., see Darnaudéry, M. (818) 492
Brochet, D., see Trovero, F. (818) 135
Bruehl, C., see Hagemann, G. (818) 127
Bugiani, O., see Silei, V. (818) 168

Cao, V., see Franken, P. (818) 34
Castellar, V.L., see Pollack, A.E. (818) 543
Chen, J.-T., see Zhao, W.-F. (818) 153
Chimini, G., see Bajetto, A. (818) 565
Cho, S.S., see Kang, T.-C. (818) 527
Chopp, M., see Kaya, S.S. (818) 23
Chueh, S.-H., see Song, S.-L. (818) 316
Cicchetti, F., see O'Kusky, J.R. (818) 468
Ciriello, J., see Roder, S. (818) 531
Claeys, M., see Liang, F. (818) 459
Coen, E., see Liang, F. (818) 459
Conklin, D.R., see Yao, C.P. (818) 414
Coote, J.H., see Gladwell, S.J. (818) 397
Cowburn, R.F., see Bonkale, W.L. (818) 383

Dahlström, A., see Liang, F. (818) 459
Darnaudéry, M., Bouyer, J.-J., Pallarés, M., Le Moal, M. and Mayo, W.
The promnesic neurosteroid pregnenolone sulfate increases paradoxical sleep in rats (818) 492
Darras, V.M., see Geris, K.L. (818) 260
Datta, S.
Activation of neuroblast proliferation in explant culture of the *Drosophila* larval CNS (818) 77
Decchi, B., see Rossi, A. (818) 12
De Leon, M.J., see Wegiel, J. (818) 41
Dembo, T., see Tanaka, K. (818) 520
De Potter, W.P., see Liang, F. (818) 459
Depreitere, J., see Liang, F. (818) 459
D'Hondt, E., see Geris, K.L. (818) 260
Dörner, G., see Plagemann, A. (818) 160
Doty, R.L., see Yousem, D.M. (818) 480
Drieu, K., see Trovero, F. (818) 135
Durand, J., see Ruiz, A. (818) 421
Dziewiatkowski, J., see Wegiel, J. (818) 41

Ethier, K., see Messier, C. (818) 583
Eyzaguirre, C., see Zhang, X.Q. (818) 118

Fabrizi, C., see Silei, V. (818) 168
Fastbom, J., see Bonkale, W.L. (818) 383
Fleming, J.S., see Montgomery, J.M. (818) 346
Florin, Z.P., see Pollack, A.E. (818) 543
Franke, H., Galla, H.-J. and Beuckmann, C.T.
An improved low-permeability in vitro-model of the blood–brain barrier: transport studies on retinoids, sucrose, haloperidol, caffeine and mannitol (818) 65
Franken, P., Cao, V., Heller, H.C. and Miller, J.D.
The glutamate induced phase shift in the SCN slice: a two pulse study (818) 34
Fukuda, H., Nakamura, E., Koga, T., Furukawa, N. and Shiroshita, Y.
The site of the anti-emetic action of tachykinin NK_1 receptor antagonists may exist in the medullary area adjacent to the semicompact part of the nucleus ambiguus (818) 439
Fukuda, M., see Takahashi, M. (818) 579
Fukuuchi, Y., see Tanaka, K. (818) 520
Furukawa, N., see Fukuda, H. (818) 439

Galla, H.-J., see Franke, H. (818) 65
Gardi, J., see Obál Jr., F. (818) 267
Garman, R., see Kofke, W.A. (818) 326
Garman, R.H., see Kofke, W.A. (818) 326
Ge, S.-Y., see Zhao, W.-F. (818) 153
Gebber, G.L., Zhong, S., Lewis, C. and Barman, S.M.
Human brain alpha rhythm: nonlinear oscillation or filtered noise? (818) 556
Geckle, R.J., see Yousem, D.M. (818) 480
Geris, K.L., D'Hondt, E., Kühn, E.R. and Darras, V.M.
Thyrotropin-releasing hormone concentrations in different regions of the chicken brain and pituitary: an ontogenetic study (818) 260
Getslev, V., see Weizman, R. (818) 187
Ginanneschi, F., see Rossi, A. (818) 12
Gladwell, S.J. and Coote, J.H.
Inhibitory and indirect excitatory effects of dopamine on sympathetic preganglionic neurones in the neonatal rat spinal cord in vitro (818) 397
Göksel, M., see Kaya, S.S. (818) 23
Golanov, E.V. and Reis, D.J.
Neuroprotective electrical stimulation of cerebellar fastigial nucleus attenuates expression of periinfarction depolarizing waves (PIDs) and inhibits cortical spreading depression (818) 304
Gong, C., Qin, Z., Lorris Betz, A., Liu, X.-H. and Yang, G.-Y.
Erratum to: Cellular localization of tumor necrosis factor alpha following focal cerebral ischemia in mice [Brain Research 801 (1998) 1–8] (818) 184
Gyimesi-Pelczer, K., see Kocsis, B. (818) 180

Hagemann, G., Hoeller, M., Bruehl, C., Lutzenburg, M. and Witte, O.W.
Effects of tetanus toxin on functional inhibition after injection in separate cortical areas in rat (818) 127
Hagg, T., see Oudega, M. (818) 431
Hanson, G.R., see Alburges, M.E. (818) 96
Harder, T., see Plagemann, A. (818) 160

Harvey-White, J., see Lamensdorf, I. (818) 275
Hasan, Z.A. and Woolley, D.E.
The short-acting anesthetic propofol produces biphasic effects—depression and withdrawal rebound overshoot—on some (but not all) limbic evoked potentials in the behaving rat (818) 51
Hasegawa, S., see Iwasa, H. (818) 570
Hashizume, K., see Maeda, T. (818) 228
Hayashi, S., see Takahashi, M. (818) 579
Hayden, M.R., see O'Kusky, J.R. (818) 468
Heller, H.C., see Franken, P. (818) 34
Hermanson, O., see Strömberg, H. (818) 510
Hinoi, E., see Ogita, K. (818) 548
Hoeller, M., see Hagemann, G. (818) 127
Holschneider, D.P., see Waite, J.J. (818) 1
Honda, Y., see Ukena, K. (818) 536
Honegger, P., see Pardo, B. (818) 84
Hummel, T., see Yousem, D.M. (818) 480
Huttunen, J., Wikström, H., Salonen, O. and Ilmoniemi, R.J.
Human somatosensory cortical activation strengths: comparison between males and females and age-related changes (818) 196

Ichikawa, H., see Sugimoto, T. (818) 147
Iijima, T., Iwao, Y. and Sankawa, H.
Amino acid release during spreading depression in a flow-compromised cortical area (818) 553
Ilmoniemi, R.J., see Huttunen, J. (818) 196
Imam, S.Z., Newport, G.D., Islam, F., Slikker Jr., W. and Ali, S.F.
Selenium, an antioxidant, protects against methamphetamine-induced dopaminergic neurotoxicity (818) 575
Inai, Y., see Ukena, K. (818) 536
Inubushi, T., see Murashita, J. (818) 72
Islam, F., see Imam, S.Z. (818) 575
Itzhak, Y. and Martin, J.L.
Effects of cocaine, nicotine, dizocipline and alcohol on mice locomotor activity: cocaine–alcohol cross-sensitization involves upregulation of striatal dopamine transporter binding sites (818) 204
Iwao, Y., see Iijima, T. (818) 553
Iwasa, H., Kikuchi, S., Miyagishima, H., Mine, S., Koseki, K. and Hasegawa, S.
Altered expression levels of G protein subclass mRNAs in various seizure stages of the kindling model (818) 570

Jacobowitz, D.M., see Lamensdorf, I. (818) 275
Jeon, G.S., see Kang, T.-C. (818) 527

Kakita, A., see Takahashi, M. (818) 579
Kalaria, R.N., see Su, G.C. (818) 105
Kameyama, S., see Takahashi, M. (818) 579
Kang, T.-C., Jeon, G.S., Kim, H.J., Shin, D.H., Lee, K.H., Lee, H.Y., Yoo, Y.B., Lee, B.L. and Cho, S.S.
Rat osteopontin antibody is cross-reactive to a novel myelin-associated protein in chick (818) 527
Kapás, L., see Obál Jr., F. (818) 267
Kasakov, L., see Vlaskovska, M. (818) 212
Kato, N., see Murashita, J. (818) 72
Kato, T., see Murashita, J. (818) 72
Kaya, S.S., Mahmood, A., Li, Y., Yavuz, E., Göksel, M. and Chopp, M.
Apoptosis and expression of p53 response proteins and cyclin D1 after cortical impact in rat brain (818) 23
Kieffer, B., see Slowe, S.J. (818) 335
Kikuchi, S., see Iwasa, H. (818) 570
Kim, H.J., see Kang, T.-C. (818) 527
Kitayama, T., see Ogita, K. (818) 548
Kitchen, I., see Slowe, S.J. (818) 335
Kocsis, B., Gyimesi-Pelczer, K. and Vertes, R.P.
Medium-frequency oscillations dominate the inspiratory nerve discharge of anesthetized newborn rats (818) 180
Kofke, W.A., Garman, R.H., Garman, R. and Rose, M.E.
Opioid neurotoxicity: fentanyl-induced exacerbation of cerebral ischemia in rats (818) 326
Koga, T., see Fukuda, H. (818) 439
Kohchi, C., see Ukena, K. (818) 536
Kölsch, H., Lütjohann, D., Tulke, A., Björkhem, I. and Rao, M.L.
The neurotoxic effect of 24-hydroxycholesterol on SH-SY5Y human neuroblastoma cells (818) 171
Kopin, I.J., see Lamensdorf, I. (818) 275
Koseki, K., see Iwasa, H. (818) 570
Kretz, O., Reichardt, H.M., Schütz, G. and Bock, R.
Corticotropin-releasing hormone expression is the major target for glucocorticoid feedback-control at the hypothalamic level (818) 488
Kristensen, P., see Vrang, N. (818) 499
Krueger, J.M., see Obál Jr., F. (818) 267
Kühn, E.R., see Geris, K.L. (818) 260
Kuramoto, N., see Ogita, K. (818) 548
Kurisu, K., see Atsumi, Y. (818) 515

Lacosta, S., Merali, Z. and Anisman, H.
Behavioral and neurochemical consequences of lipopolysaccharide in mice: anxiogenic-like effects (818) 291
Lambert, E.B., see Pollack, A.E. (818) 543
Lamensdorf, I., Meiri, N., Harvey-White, J., Jacobowitz, D.M. and Kopin, I.J.
Kir6.2 oligoantisense administered into the globus pallidus reduces apomorphine-induced turning in 6-OHDA hemiparkinsonian rats (818) 275
Larsen, P.J., see Vrang, N. (818) 499
Lauro, G.M., see Silei, V. (818) 168
Lea, R.W., see Ukena, K. (818) 536
Lee, B.L., see Kang, T.-C. (818) 527
Lee, H.Y., see Kang, T.-C. (818) 527
Lee, K.H., see Kang, T.-C. (818) 527
Le Moal, M., see Darnaudéry, M. (818) 492
Lewis, C., see Gebber, G.L. (818) 556
Li, J. and Wurtman, R.J.
Mechanisms whereby nerve growth factor increases diacylglycerol levels in differentiating PC12 cells (818) 252
Li, J.-Y., see Liang, F. (818) 459
Li, Y., see Kaya, S.S. (818) 23
Liang, F., Li, J.-Y., Lovisetti-Scamihorn, P., Coen, E., Depreitere, J., Claeys, M., Wechsung, E., Dahlström, A., Winkler, H. and De Potter, W.P.
The processing of secretogranin II in the peripheral nervous system: release of secretoneurin from porcine sympathetic nerve terminals (818) 459
Lincoln, C., see Yao, D.-L. (818) 140
Lindsay, R.M., see Alderson, R.F. (818) 236
Ling Li, Y., see Yao, D.-L. (818) 140
Liu, X.-H., see Gong, C. (818) 184
Lombardini, J.B., see Militante, J.D. (818) 368
Lorris Betz, A., see Gong, C. (818) 184
Lovisetti-Scamihorn, P., see Liang, F. (818) 459
Lütjohann, D., see Kölsch, H. (818) 171
Lutzenburg, M., see Hagemann, G. (818) 127

Maeda, T., Hashizume, K. and Tanaka, T.
Effect of hypothermia on kainic acid-induced limbic seizures: an electroencephalographic and ^{14}C-deoxyglucose autoradiographic study (818) 228
Maeda, T., see Atsumi, Y. (818) 515
Mahmood, A., see Kaya, S.S. (818) 23
Maldjian, J.A., see Yousem, D.M. (818) 480
Manabe, T., see Ogita, K. (818) 548
Martin, J.L., see Itzhak, Y. (818) 204
Masonic, K., see Yao, D.-L. (818) 140
Mayo, J.C., Sainz, R.M., Antolín, I. and Rodriguez, C.
Ultrastructural confirmation of neuronal protection by melatonin against the neurotoxin 6-hydroxydopamine cell damage (818) 221
Mayo, W., see Darnaudéry, M. (818) 492
Meiri, N., see Lamensdorf, I. (818) 275
Melchior, K., see Plagemann, A. (818) 160
Merali, Z., see Lacosta, S. (818) 291
Messier, C., Wall, P.M. and Ethier, K.
Contribution of cholinergic and gabaergic functions to memory processes in BALB/cANnCrlBR mice (818) 583
Militante, J.D. and Lombardini, J.B.
Taurine uptake activity in the rat retina: protein kinase C-independent inhibition by chelerythrine (818) 368
Miller, D.C., see Wegiel, J. (818) 41
Miller, J.D., see Franken, P. (818) 34
Mills, R.G., see Montgomery, J.M. (818) 346
Mine, S., see Iwasa, H. (818) 570
Miyagishima, H., see Iwasa, H. (818) 570
Mlodzik, B., see Wegiel, J. (818) 41
Montgomery, J.M., Fleming, J.S. and Mills, R.G.
Evidence for a neural inhibitory factor which downregulates fetal-type acetylcholine receptor expression in skeletal muscle cell lines (818) 346
Mullan, M., see Su, G.C. (818) 105
Murashita, J., Kato, T., Shioiri, T., Inubushi, T. and Kato, N.
Age-dependent alteration of metabolic response to photic stimulation in the human brain measured by ^{31}P MR-spectroscopy (818) 72

Murphy, T.C., see Samson, W.K. (818) 164
Myers, R.R., see Nakamura, S.-i. (818) 285

Nagata, E., see Tanaka, K. (818) 520
Nakamura, E., see Fukuda, H. (818) 439
Nakamura, S.-i. and Myers, R.R.
Myelinated afferents sprout into lamina II of L3–5 dorsal horn following chronic constriction nerve injury in rats (818) 285
Nasir, J., see O'Kusky, J.R. (818) 468
Nawa, H., see Takahashi, M. (818) 579
Newport, G.D., see Imam, S.Z. (818) 575
Nogawa, S., see Tanaka, K. (818) 520
Novak, C.M., Smale, L. and Nunez, A.A.
Fos expression in the sleep-active cell group of the ventrolateral preoptic area in the diurnal murid rodent, *Arvicanthis niloticus* (818) 375
Nozawa-Inoue, K., see Atsumi, Y. (818) 515
Nunez, A.A., see Novak, C.M. (818) 375

Obál Jr., F., Kapás, L., Gardi, J., Taishi, P., Bodosi, B. and Krueger, J.M.
Insulin-like growth factor-1 (IGF-1)-induced inhibition of growth hormone secretion is associated with sleep suppression (818) 267
Ogita, K., Shuto, M., Kuramoto, N., Manabe, T., Hinoi, E., Kitayama, T., Sakata, K. and Yoneda, Y.
Differential inhibition by ferrous ions of [^{3}H]MK-801 binding to native *N*-methyl-D-aspartate channel in neonatal and adult rat brains (818) 548
Ohm, T.G., see Bonkale, W.L. (818) 383
O'Kusky, J.R., Nasir, J., Cicchetti, F., Parent, A. and Hayden, M.R.
Neuronal degeneration in the basal ganglia and loss of pallido-subthalamic synapses in mice with targeted disruption of the Huntington's disease gene (818) 468
Opacka-Juffry, J., see Sullivan, A.M. (818) 176
Oudega, M. and Hagg, T.
Neurotrophins promote regeneration of sensory axons in the adult rat spinal cord (818) 431

Pallarés, M., see Darnaudéry, M. (818) 492
Pankova, I.A., see Weizman, R. (818) 187
Pardo, B. and Honegger, P.
Selective neurodegeneration induced in rotation-mediated aggregate cell cultures by a transient switch to stationary culture conditions: a potential model to study ischemia-related pathogenic mechanisms (818) 84
Parent, A., see O'Kusky, J.R. (818) 468
Pearsall, D., see Alderson, R.F. (818) 236
Petullo, D., see Yao, D.-L. (818) 140
Pick, C.G., see Weizman, R. (818) 187
Pickard, J.D., see Whitfield, P.C. (818) 450
Plagemann, A., Harder, T., Rake, A., Melchior, K., Rohde, W. and Dörner, G.
Increased number of galanin-neurons in the paraventricular hypothalamic nucleus of neonatally overfed weanling rats (818) 160
Pohl, J., see Sullivan, A.M. (818) 176
Pollack, A.E., Bird, J.L., Lambert, E.B., Florin, Z.P. and Castellar, V.L.
Role of NMDA glutamate receptors in regulating D2 dopamine-dependent Fos induction in the rat striatopallidal pathway (818) 543
Prechtl, J.C., see Von der Emde, G. (818) 355
Prosser, R.A.
Melatonin inhibits in vitro serotonergic phase shifts of the suprachiasmatic circadian clock (818) 408

Qin, Z., see Gong, C. (818) 184

Rake, A., see Plagemann, A. (818) 160
Rao, M.L., see Kölsch, H. (818) 171
Reichardt, H.M., see Kretz, O. (818) 488
Reis, D.J., see Golanov, E.V. (818) 304
Reisberg, B., see Wegiel, J. (818) 41
Resch, Z.T., see Samson, W.K. (818) 164
Roder, S., Rosas-Arellano, M.P. and Ciriello, J.
Effect of noradrenergic inputs on the cardiovascular depressor responses to stimulation of central nucleus of the amygdala (818) 531
Rodriguez, C., see Mayo, J.C. (818) 221
Rohde, W., see Plagemann, A. (818) 160
Rosas-Arellano, M.P., see Roder, S. (818) 531
Rose, M.E., see Kofke, W.A. (818) 326
Rossi, A., Decchi, B. and Ginanneschi, F.
Presynaptic excitability changes of group Ia fibres to muscle nociceptive stimulation in humans (818) 12
Ruan, D.-Y., see Zhao, W.-F. (818) 153
Ruiz, A. and Durand, J.
Modulation of kainate-induced responses by pentobarbitone and GYKI-53784 in rat abducens motoneurons in vivo (818) 421

Sainz, R.M., see Mayo, J.C. (818) 221
Sakata, K., see Ogita, K. (818) 548
Salmona, M., see Silei, V. (818) 168
Salonen, O., see Huttunen, J. (818) 196
Samson, W.K., Bode, A.M., Murphy, T.C. and Resch, Z.T.
Antisense oligonucleotide treatment reveals a physiologically relevant role for adrenomedullin gene products in sodium intake (818) 164
Sankawa, H., see Iijima, T. (818) 553
Schettini, G., see Bajetto, A. (818) 565
Schrieber, S., see Weizman, R. (818) 187
Schütz, G., see Kretz, O. (818) 488
Scremin, O.U., see Waite, J.J. (818) 1
Seil, F.J.
BDNF and NT-4, but not NT-3, promote development of inhibitory synapses in the absence of neuronal activity (818) 561
Shin, D.H., see Kang, T.-C. (818) 527
Shioiri, T., see Murashita, J. (818) 72
Shiroshita, Y., see Fukuda, H. (818) 439
Shuto, M., see Ogita, K. (818) 548
Siddiqi, F., see Yousem, D.M. (818) 480
Silberring, J., see Vlaskovska, M. (818) 212
Silei, V., Fabrizi, C., Venturini, G., Salmona, M., Bugiani, O., Tagliavini, F. and Lauro, G.M.
Activation of microglial cells by PrP and β-amyloid fragments raises intracellular calcium through L-type voltage sensitive calcium channels (818) 168
Simonin, F., see Slowe, S.J. (818) 335
Slikker Jr., W., see Imam, S.Z. (818) 575
Slowe, S.J., Simonin, F., Kieffer, B. and Kitchen, I.
Quantitative autoradiography of μ-,δ- and κ_1 opioid receptors in κ-opioid receptor knockout mice (818) 335
Smale, L., see Novak, C.M. (818) 375
Song, S.-L. and Chueh, S.-H.
Phosphorylation promotes the desensitization of the opioid-induced Ca^{2+} increase in NG108-15 cells (818) 316
Strömberg, H., Svensson, S.P.S. and Hermanson, O.
Distribution of CREB-binding protein immunoreactivity in the adult rat brain (818) 510
Su, G.C., Arendash, G.W., Kalaria, R.N., Bjugstad, K.B. and Mullan, M.
Intravascular infusions of soluble β-amyloid compromise the blood–brain barrier, activate CNS glial cells and induce peripheral hemorrhage (818) 105
Suder, P., see Vlaskovska, M. (818) 212
Sugimoto, T., Takeyama, A., Xiao, C., Takano-Yamamoto, T. and Ichikawa, H.
Electron microscopic demonstration of nick end-labeled DNA fragments during capsaicin-induced apoptosis of trigeminal primary neurons in neonatal rats (818) 147
Sullivan, A.M., Opacka-Juffry, J., Pohl, J. and Blunt, S.B.
Neuroprotective effects of growth/differentiation factor 5 depend on the site of administration (818) 176
Suzuki, S., see Tanaka, K. (818) 520
Svensson, S.P.S., see Strömberg, H. (818) 510

Tagliavini, F., see Silei, V. (818) 168
Taishi, P., see Obál Jr., F. (818) 267
Takahashi, H., see Takahashi, M. (818) 579
Takahashi, M., Hayashi, S., Kakita, A., Wakabayashi, K., Fukuda, M., Kameyama, S., Tanaka, R., Takahashi, H. and Nawa, H.
Patients with temporal lobe epilepsy show an increase in brain-derived neurotrophic factor protein and its correlation with neuropeptide Y (818) 579
Takano-Yamamoto, T., see Sugimoto, T. (818) 147
Takeyama, A., see Sugimoto, T. (818) 147
Tanaka, K., Nagata, E., Suzuki, S., Dembo, T., Nogawa, S. and Fukuuchi, Y.
Immunohistochemical analysis of cyclic AMP response element binding protein phosphorylation in focal cerebral ischemia in rats (818) 520
Tanaka, R., see Takahashi, M. (818) 579

Tanaka, T., see Maeda, T. (818) 228
Tang-Christensen, M., see Vrang, N. (818) 499
Tarnawski, M., see Wegiel, J. (818) 41
Tassin, J.-P., see Trovero, F. (818) 135
Terenius, L., see Vlaskovska, M. (818) 212
Trovero, F., Brochet, D., Tassin, J.-P. and Drieu, K.
Ginkgo biloba extract EGb761 reduces the development of amphetamine-induced behavioral sensitization: effects on hippocampal type II corticosteroid receptors (818) 135
Tsutsui, K., see Ukena, K. (818) 536
Tulke, A., see Kölsch, H. (818) 171

Ukena, K., Honda, Y., Inai, Y., Kohchi, C., Lea, R.W. and Tsutsui, K.
Expression and activity of 3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4-isomerase in different regions of the avian brain (818) 536

Venturini, G., see Silei, V. (818) 168
Vertes, R.P., see Kocsis, B. (818) 180
Vlaskovska, M., Kasakov, L., Suder, P., Silberring, J. and Terenius, L.
Biotransformation of nociceptin/orphanin FQ by enzyme activity from morphine-naive and morphine-treated cell cultures (818) 212
Von der Emde, G. and Prechtl, J.C.
Anatomical connections of auditory and lateral line areas of the dorsal telencephalon (Dm) in the osteoglossomorph teleost, *Gnathonemus petersii* (818) 355
Vrang, N., Tang-Christensen, M., Larsen, P.J. and Kristensen, P.
Recombinant CART peptide induces c-Fos expression in central areas involved in control of feeding behaviour (818) 499

Waite, J.J., Holschneider, D.P. and Scremin, O.U.
Selective immunotoxin-induced cholinergic deafferentation alters blood flow distribution in the cerebral cortex (818) 1
Wakabayashi, K., see Takahashi, M. (818) 579
Wakisaka, S., see Atsumi, Y. (818) 515
Wall, P.M., see Messier, C. (818) 583
Wang, M., see Zhao, W.-F. (818) 153
Wechsung, E., see Liang, F. (818) 459
Wegiel, J., Wisniewski, H.M., Dziewiatkowski, J., Badmajew, E., Tarnawski, M., Reisberg, B., Mlodzik, B., De Leon, M.J. and Miller, D.C.
Cerebellar atrophy in Alzheimer's disease—clinicopathological correlations (818) 41
Weizman, R., Getslev, V., Pankova, I.A., Schrieber, S. and Pick, C.G.
Pharmacological interaction of the calcium channel blockers verapamil and flunarizine with the opioid system (818) 187
Whitfield, P.C., Williams, R. and Pickard, J.D.
Delayed induction of JunB precedes CA1 neuronal death after global ischemia in the gerbil (818) 450
Wibberley, L., see Yao, D.-L. (818) 140
Wikström, H., see Huttunen, J. (818) 196
Williams, R., see Whitfield, P.C. (818) 450
Winkler, H., see Liang, F. (818) 459
Wisniewski, H.M., see Wegiel, J. (818) 41
Witte, O.W., see Hagemann, G. (818) 127
Wong, V., see Alderson, R.F. (818) 236
Woolley, D.E., see Hasan, Z.A. (818) 51
Wurtman, R.J., see Li, J. (818) 252

Xiao, C., see Sugimoto, T. (818) 147
Xu, Y.-Z., see Zhao, W.-F. (818) 153

Yang, G.-Y., see Gong, C. (818) 184
Yao, C.P., Allen, J.W., Conklin, D.R. and Aschner, M.
Transfection and overexpression of metallothionein-I in neonatal rat primary astrocyte cultures and in astrocytoma cells increases their resistance to methylmercury-induced cytotoxicity (818) 414
Yao, D.-L., Masonic, K., Petullo, D., Ling Li, Y., Lincoln, C., Wibberley, L., Alderson, R.F. and Antonaccio, M.
Pretreatment with intravenous FGF-13 reduces infarct volume and ameliorates neurological deficits following focal cerebral ischemia in rats (818) 140
Yavuz, E., see Kaya, S.S. (818) 23
Yoneda, Y., see Ogita, K. (818) 548
Yoo, Y.B., see Kang, T.-C. (818) 527
Yousem, D.M., Maldjian, J.A., Siddiqi, F., Hummel, T., Alsop, D.C., Geckle, R.J., Bilker, W.B. and Doty, R.L.
Gender effects on odor-stimulated functional magnetic resonance imaging (818) 480

Zhang, X.Q. and Eyzaguirre, C.
Effects of hypoxia induced by $Na_2S_2O_4$ on intracellular calcium and resting potential of mouse glomus cells (818) 118
Zhao, W.-F., Ruan, D.-Y., Xu, Y.-Z., Chen, J.-T., Wang, M. and Ge, S.-Y.
The effects of chronic lead exposure on long-term depression in area CA1 and dentate gyrus of rat hippocampus in vitro (818) 153
Zhong, S., see Gebber, G.L. (818) 556